

CONTRACT
VOOR ENGINEERING, INKOOP, INSTALLATIE, EN
INBEDRIJFSTELLING

van

Bio Energie Centrale Duiven
in Duiven, Gelderland

Contract Agreement

This Agreement (W490-contract01 Contract Agreement) made the 19 July of 2018.

Between

Sparkling Biomass B.V. a private company with limited liability (besloten vennootschap met beperkte aansprakelijkheid), incorporated and existing under Dutch Law, having its official seat (statutaire zetel) in Apeldoorn, The Netherlands and its registered office address at Ecofactorij 18, 7325 WC Apeldoorn, The Netherlands, registered with the Trade Register of the Chamber of Commerce under number: 66838347, hereby duly represented by:

1. **New Power B.V.**, having its official seat in Zutphen and its registered office address at Ina Boudier-Bakkerlaan 55, 7207 KX Zutphen, registered with the Trade Register of the Chamber of Commerce under number: 08093405, hereby duly represented by New Power Holding B.V., with its registered office address at Ina Boudier-Bakkerlaan 55, 7207 KX Zutphen, hereby duly represented by [REDACTED] 5.1.2e and

2. **DVC B.V.**, having its official seat in Brummen and its registered office address at Arnhemsestraat 37, 6971 AP Brummen, registered with the Trade Register of the Chamber of Commerce under number: 08162539, hereby duly represented by [REDACTED] 5.1.2e

hereinafter called "*Employer*" or "*Opdrachtgever*" of the one part,

and

HoSt F.T. B.V. a private company with limited liability (besloten vennootschap met beperkte aansprakelijkheid), incorporated and existing under Dutch Law, having its official seat (statutaire zetel) in Hengelo (OV), the Netherlands and its registered office address at Thermen 10, 7521 PS Enschede, the Netherlands, registered with the Trade Register of the Chamber of Commerce under number: 08115947, hereby duly represented by HoST Holding B.V., with its registered office address at Thermen 10, 7521 PS Enschede, registered with the Trade Register of the Chamber of Commerce under number: 06091861, hereby duly represented by [REDACTED] 5.1.2e and/or [REDACTED] 5.1.2e te Braak,

(hereinafter called "*Contractor*" or "*Opdrachtnemer*" of the other part.

Whereas

the Employer desires that the Works known as BEC Duiven, including the bioenergy co-generation plant with a nominal production capacity of 12.9 MW, should be executed by the Contractor, and has accepted a tender by the Contractor for the execution and completion of these Works and the remedying of any defects therein,

The Employer and the Contractor agree as follows:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement:
 - a. the memoranda (Bijlagen 1 up to and including 23) annexed hereto; and
 - b. the Particular Conditions (as described below); and

[REDACTED] 5.1.2e

[REDACTED] 5.1.2e

- c. the General Conditions (as described below); and
- d. Employer Requirements.

The Employer Requirements as listed under d. above is a brief description of main requirements and wishes of the Employer. The Contractor and Employer therefore composed the under a. above mentioned "Bijlagen 1 up to and including 23" with due care to complement the Employer Requirements and replace the Tender as defined by FIDIC.

3. This Contract Agreement is based on FIDIC "Conditions of Contract for EPC/Turnkey Projects" First Edition 1999 published by the Federation Internationale des IngenieursConseils (FIDIC silverbook) (General Conditions), and the "Particular Conditions", which includes amendments and additions to the General Conditions.
4. The agreed Contract Price
 -) and includes agreed ordered items of W490-contract01 Bijlage 16: 1, 5, 7, 8, 9 and 10. Order items 1 and 5 are a lumpsum price items. Ordered items 7, 8, 9 and 10 are provisional sum items.
5. In consideration of the payments to be made by the Employer to the Contractor as abovementioned, the Contractor hereby covenants with the Employer to design, execute and complete the Works and remedy any defects therein in conformity with the provisions of the Contract.
6. The Employer hereby covenants to pay the Contractor, in consideration of the design, execution and completion of the Works and the remedying of defects therein, the final Contract Price and shall pay accordingly to the payment scheme obtained in Bijlage 6.
7. The Contract shall come into full force and effect by signing of this Contract Agreement. Commencement Date shall occur on the date when the following cumulative conditions precedent (opschortende voorwaarden) have been fulfilled:
 - a. The Contractor Defect Notification Period Bank bank Guarantee (attached as draft in Bijlage 21 of the Agreement) has been issued to the Employer; and
 - b. The Contractor Parent Company guarantee (attached as draft in Bijlage 20 of the Agreement) has been issued to the Employer; and
 - c. The Contractor Advance-Payment bank guarantee (as draft defined as payment nr.1 in W490-contract01 Bijlage 6 and attached as a draft in Bijlage 19 of the Agreement) has been issued to the Employer; and
 - d. The Contractor Test After Completion bank guarantee (as draft attached in Bijlage 22 of the Agreement) has been issued to the Employer; and
 - e. The Employer Performance bank guarantee (attached as draft in Bijlage 23 of the Agreement) has been issued to the Contractor; and
 - f. The Employer has attracted full finance for the Project and the advanced payment as defined as payment nr.1 in Bijlage 6 has been performed by the Employer to the Contractor. The invoicing by the Contractor and the payment by the Employer shall both on Commencement Date; and
 - g. A positive decision of all shareholders of the Employer to conclude the Agreement; and
 - h. A positive conclusion of the legal due diligence research on the Agreement.
8. The Employer and Contractor will have the right to terminate this Agreement unilateral if (one of) the condition(s) precedent have not satisfied on or before 4 months after signing of this Agreement. If terminated than this Agreement shall be void and ineffective (and Parties will


therefore not be bound to this Agreement) and any securities issued in relation to the above Works shall be returned.

9. The Parties have agreed that the Contractor will at its own cost and risk perform certain pre-engineering activities (e.g. dimensioning certain long lead items) as from signing of this Agreement in order to ensure a swift ordering and engineering process as from Commencement Date.

In Witness whereof the parties hereto have caused this Agreement to be executed the day and year first before written in accordance with their respective laws.


S
N

fo



5.1.2e

SIGNED
Name:



5.1.2e

for and on behalf of the Contractor:



5.1.2e

BEC Duiven	Overname
Testprotocol: 7, zie bijlage 9	

Criteria	Procedure	Opdrachtnummer Datum Handtekening	Opdrachtgever Datum Handtekening	Opmerkingen
Hercontrole op criteria mechanisch compleet succesvol afgerond (noot 3)	Zie Bijlage 9	26/11/20 5.1.2e	26/11/20 5.1.2e	Zie Test Protocol 1
Opstart protocol succesvol afgerond	Zie Bijlage 9	26/11/20 5.1.2e	26/11/20 5.1.2e	Zie Test Protocol 3
Operabiliteitstest protocol succesvol afgerond	Zie Bijlage 9	26/11/20 5.1.2e	26/11/20 5.1.2e	Zie Test Protocol 5
Alle vereiste keuringen voor commerciële bedrijfsvoering zijn succesvol afgerond		26/11/20 5.1.2e	26/11/20 5.1.2e	
Alle vereiste documenten/certificaten voor commerciële bedrijfsvoering zijn aanwezig (noot 4)		26/11/20 5.1.2e	26/11/20 5.1.2e	

1. Partijen verklaren dat de Opdrachtgever het volgende overneemt van de Opdrachtnemer: 1) de Houtgestookte-WKK, 2) de bedrijfsvoering van de Houtgestookte-WKK en 3) het onderhoud van de Houtgestookte-WKK.

2. Opdrachtgever verklaart dat Opdrachtnemer aan alle verplichtingen voldaan, met uitzondering van de Punch List items, garantie en Test After Completion.

3. Onderdelen van het Werk welke niet compleet zijn, maar niet de functionele en veilige werking van de Houtgestookte WKK verhinderen, zijn toegevoegd aan de meegeleverde Punch lijst. Deze items zijn geprijsd en gepland voor afhandeling.

4. Voorwaarde overname is: Site report van NOBO is succesvol bevonden. Geen voorwaarde voor overname zijn: certificaten behorende bij succesvol afgeronde testen die tgv administratieve afhandeling later worden verstrekt.

5. Overeengekomen is dat de contractuele betalingstermijn van de betaling behorende bij deze milestone 'Overname' zal starten na afronding van de volgende zaken: Ondertekening door beide partijen van de software overeenkomst (akte van bewaargave software), ondertekening door beide partijen van de overeenkomst verlengde garanties (Addendum 3 van contract agreement), afgifte door Host van de bankgarantie (Test after Completion Bank Guarantee).

Opdrachtnemer	Opdrachtgever
Datum: 26/11/2020	Datum: 26/11/2020
Handtekening	Handtekening

5.1.2e

5.1.2e

DRYING



CONTRACT VOOR:

ENGINEERING, INKOOP, INSTALLATIE, EN INBEDRIJFSTELLING VAN EEN
FLUID BED DROGER / KOELER MET BACK MIX INSTALLATIE VOOR
AARDAPPELSTOOMSCHILLEN IN DUIVEN, GELDERLAND.

CONTRACT AGREEMENT



Va

5.1.2e

This Agreement concluded on September 7th, 2018

Between

Sparkling Biomass B.V. a private company with limited liability (besloten vennootschap met beperkte aansprakelijkheid), incorporated and existing under Dutch Law, having its official seat (statutaire zetel) in Apeldoorn, The Netherlands and its registered office address at Ecofactorij 18, 7325 WC Apeldoorn, The Netherlands, registered with the Trade Register of the Chamber of Commerce under number: 66838347, hereby duly represented by:

1. **New Power B.V.**, having its official seat in Zutphen and its registered office address at Ina Boudier-Bakkerlaan 55, 7207 KX Zutphen, registered with the Trade Register of the Chamber of Commerce under number: 08093405, hereby duly represented by New Power Holding B.V., with its registered office address at Ina Boudier-Bakkerlaan 55, 7207 KX Zutphen, hereby duly represented by 5.1.2e and

2. **DVC B.V.**, having its official seat in Brummen and its registered office address at Arnhemsestraat 37, 6971 AP Brummen, registered with the Trade Register of the Chamber of Commerce under number: 08162539, hereby duly represented by 5.1.2e

hereinafter called the "*Employer*" or "*Opdrachtgever*" of the one part,

and

Ventilex B.V. a private company with limited liability (besloten vennootschap met beperkte aansprakelijkheid), incorporated and existing under Dutch Law, having its official seat (statutaire zetel) in Heerde (GE), The Netherlands and its registered office address at Europaweg 8, 8181 BH Heerde, The Netherlands, registered with the Trade Register of the Chamber of Commerce under number: 08043003, hereby duly represented by its director 5.1.2e

hereinafter called the "*Contractor*" or "*Opdrachtnemer*" of the other part.

Whereas

the Employer desires that the Works known as Starch Dryer Duiven should be executed by the Contractor, and has accepted a tender by the Contractor for the execution and completion of these Works and the remedying of any defects therein.

The Employer and the Contractor agree as follows:

1. In this Agreement words and expressions shall have the same meanings as are respectively 5.1.2e and to them in the Conditions of Contract hereinafter referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Agreement:

- a) the memoranda (Bijlagen 1 up to and including 22) annexed hereto; and
- b) the Particular Conditions of Contract (as described below); and
- c) the General Conditions of Contract (as described below); and
- d) Employer Requirements.

The Employer Requirements as listed under d. above is a brief description of main requirements and wishes of the Employer. The Contractor and Employer therefore composed the under a. above mentioned "Bijlagen 1 up to and including 22" with due care to complement the Employer Requirements and replace the Tender as defined by FIDIC.

3. This Contract Agreement is based on FIDIC "Conditions of Contract for EPC/Turnkey Projects" First Edition 1999 published by the Federation Internationale des IngenieursConseils (FIDIC silverbook) (General Conditions), and the "Particular Conditions of Contract", which includes amendments and additions to the General Conditions of Contract.
4. The agreed Contract Price is .
includes agreed ordered items of Bijlage 14: 1 up to and including 7. Items 1 up to and including 7 in Bijlage 14 are lumpsum items.
5. In consideration of the payments to be made by the Employer to the Contractor as abovementioned, the Contractor hereby covenants with the Employer to design, execute and complete the Works and remedy any defects therein in conformity with the provisions of the Contract.
6. The Employer hereby covenants to pay the Contractor, in consideration of the design, execution and completion of the Works and the remedying of defects therein, the final Contract Price and shall pay accordingly to the payment scheme obtained in Bijlage 6.
7. The Contract shall come into full force and effect by signing of this Contract Agreement. Commencement Date shall occur on the date when the following cumulative conditions precedent (opschortende voorwaarden) have been fulfilled:
- a. The Contractor Defect Notification Period Bank Guarantee (attached as draft in Bijlage 22 of the Agreement) has been issued to the Employer; and
 - b. The Contractor Test after Completion Bank Guarantee (attached as draft in Bijlage 21 of the Agreement) has been issued to the Employer; and
 - c. The Contractor Performance Bank Guarantee (as draft attached in Bijlage 20 of the Agreement) has been issued to the Employer; and

- d. The Employer Performance Bank Guarantee (attached as draft in Bijlage 19 of the Agreement) has been issued to the Contractor; and
- e. The Employer has attracted full finance for the Project and the advanced payment as defined as payment nr.1 in Bijlage 6 has been performed by the Employer to the Contractor. The invoicing by the Contractor and the payment by the Employer shall both occur on Commencement Date; and
- f. A positive decision of all shareholders of the Employer to conclude the Agreement; and
- g. A positive conclusion of the legal due diligence research on the Agreement.

The Employer and Contractor will have the right to terminate this Agreement unilateral if (one of) the condition(s) precedent have not satisfied on or before 4 months after signing of this Agreement. If terminated than this Agreement shall be void and ineffective (and Parties will therefore not be bound to this Agreement) and any securities issued in relation to the above Works shall be returned.

In Witness whereof the parties hereto have caused this Agreement to be executed the day and year first before written in accordance with their respective laws.

SIG

Na

SIGNED by:

5.1.2e

5.1.2e

fo

for and on behalf of the Contractor:



Criteria	Opdrachtnemer		Opdrachtgever		Opmerkingen
	Datum	Handtekening	Datum	Handtekening	
De punten zoals gespecificeerd in het Mechanical complete Protocol zijn op een veilige manier, conform contract, compleet afgerond.	30-6-2020		14-7-2020		
De installatie is klaar voor inbedrijfstelling, Functioneel testen en Start-Up	30-6-2020	5.1.2e	14-7-2020		

Opmerkingen:

1. Dit Protocol wordt ondertekend door verantwoordelijke personen van Opdrachtgever en Opdrachtnemer.
2. Door ondertekening van dit Protocol bevestigen de Opdrachtgever en de Opdrachtnemer dat de Milestone is behaald.
3. Door ondertekening van dit Protocol bevestigt de Opdrachtgever dat de betreffende betaling wordt vrijgegeven aan de Opdrachtnemer zoals gedefinieerd in Bijlage 6.

Acceptatie van het Protocol:

Opdrachtnemer		Opdrachtgever	
Datum:	30-6-2020	Datum:	14-7-2020
Handtekening	5.1.2e	Handteke	5.1.2e

**CONTRACT
VOOR ENGINEERING, INKOOP, INSTALLATIE,
EN INBEDRIJFSTELLING**

van

**Bio Energie Centrale Duiven
in Duiven, Gelderland**

BIJLAGE 2

PRESTATIES & GARANTIES

De verwachte prestaties van de BEC worden getoond in Tabel 1.

Belasting situatie	A Winter	A Zomer	B Winter	B Zomer	C Winter	C Zomer	
Vuurhaardvermogen (brandstofmix met 45gew% vocht en noot 1)	16,3	16,3	15,1	14,9	15,2	15,0	MWth
Ketelvermogen	14,0	14,0	13,0	12,8	12,8	12,9	MWth
Stoomdruk	52	52	52	52	52	52	Bara
Stoomtemperatuur	420	420	420	420	420	420	°C
Warmte Allgaier (noot 2)	3,43	3,58	3,6	3,6			MWth
Leverings-luchttemperatuur Allgaier	82	105	85	106			°C
Warmte Ventilex	8,5	8,5	7,5	7,5			MWth
Leverings-stoomtemperatuur Ventilex	178	178	178	178			°C
Leverings-druk Ventilex	7,5	7,5	7,5	7,5			Bara
Condensaattemperatuur Ventilex	90	90	90	90			°C
Warmte SV net					11	11	MWth
Leveringstemperatuur SV net					125	90	°C
Gegenereerde capaciteit aan de generator aansluitklemmen, volgens DIN 1943 bij power factor van 0,95	1855	1720	1700	1530	1590	1710	kWe
Brandstofverbruik (30% vochtgehalte; Noot 1)	5,42	5,42	5,05	4,97	5,07	5,00	ton/u
Brandstofverbruik (40% vochtgehalte; Noot 1)	6,64	6,64	6,20	6,10	6,22	6,15	ton/u
Brandstofverbruik (49,5% vochtgehalte; Noot 1)	8,45	8,45	7,88	7,76	7,93	7,83	ton/u
Verwachte beschikbaarheid	8300						uur/jr

Tabel 1: Prestatiegegevens

Noot 1: Gebaseerd op onderste verbrandingswaarde van 18,6 MJ/kg (droog en as-vrij) en 12,5gew% as (droge stof basis).
Noot 2: Zomer: 20°C en 80% RV en 152.000 kg/h lucht. Winter: 0°C en 90% RV en 152.000 kg/h lucht.

Het totale eigen elektriciteitsverbruik van de BEC is:

- Ongeveer 298 kWe bij aanvang (biomassa vergunning);
- En na uitbreiding van additionele rookgasreiniging (volledige B-hout centrale): ongeveer 351kWe

In het totale verwachte eigen elektriciteitsverbruik van de BEC is niet inbegrepen:

- Circulatiepomp die koelwater door Allgaier water-lucht warmtewisselaar en SV warmtewisselaar pompt: ongeveer 25kWe
- Stadsverwarmingspompen: ongeveer 140kWe o.b.v. max debiet + max opvoerhoogte van 12 bara

De totaal verwachte nominale elektriciteitsconsumptie + 10% marge (incl. circulatiepomp en SV pomp van 140kWe) van de BEC bedraagt 509kWe en van de volledige B-hout centrale 568kWe.

Het verwachte maximale equivalent geluidsdruk niveau, gemeten op één meter afstand van de apparatuur in de gebouwen, met uitzondering van de turbine ruimte, is gedurende normaal bedrijf (exclusief opstarten en noodbedrijf) van de BEC 85 dB LAEQ.

2. Gegarandeerd prestatieniveau

De prestatiegaranties worden gegeven in onderstaande Tabel 2.

Tabel 2: Prestatie garanties (te verifiëren gedurende de Prestatietest)

Prestatie indicator voor garantie	Eenheid	Rand-voorwaarde	Gegarandeerde waarde
1) Minimum elektriciteitsproductie BEC (noot 1)			
De minimale elektrische output bij de generator, volgens DIN 1943	kWe	In case B Winter bij power factor 0,95	1600
2) Minimum warmte- + elektriciteitslevering (noot 1)			
De minimale elektrische + thermische output van de centrale.	MW	In case B winter op terminal points	12,7
3) Minimum thermisch overall rendement (ketelrendement) BEC (noot 2)			
Het ketelrendement	%	In case B winter	84,0%
4) Minimum warmtelevering aan Ventilex (noot 3)			
De minimale warmtelevering aan Ventilex	MWth	Bij minimaal 6 barg op terminal point	8,5
5) Minimum warmtelevering aan SV (noot 3)			

Prestatie indicator voor garantie	Eenheid	Rand-voorwaarde	Gegarandeerde waarde
De minimale warmtelevering aan SV net	MWth	Tussen 85°C-125°C leverings-temperatuur, op terminal point	11
6) Minimum warmtelevering aan Allgaier (noot 3 en 4)			
De minimale warmtelevering aan de Allgaier	MWth	garantiemeting op levering aan warmte-wisselaars	5,7
7) Maximale emissies bij biomassa vergunning (noot 5)			
Zwavedioxide	mg/Nm3		200
Stikstofoxiden	mg/Nm3	Jaar-gemiddelde	30
Totaal stof	mg/Nm3		5
8) Maximale emissies bij b-hout en/of papierslib vergunning (noot 5 en 6)			
Stikstofoxiden	mg/Nm3	Jaar-gemiddelde	30
Overige emissie eisen later overeen te komen bij uitbreiding tot "volledige afvalverbrandingscentrale" om papierslib en/of b-hout te verstoken.			
9) Beschikbaarheid			
Gegarandeerde beschikbaarheid – Het aantal uren dat de BEC beschikbaar is gedurende de Beschikbaarheidstest, zoals gedefinieerd in Bijlage 9.	Uren	16 gew% as (droge basis - scrip + chips)	3950 (=90%)
10) Eigenverbruik van BEC (noot 7)			
Het gegarandeerde totale eigenverbruik van de BEC bij aanvang op biomassa incl. circulatiepomp die koelwater door stoomcondensor pompt	kWe	4 uur gemiddelde Case B winter	350

Noot 1: Uitgaand dat minimale warmtelevering aan de Allgaier 3,6MWt (condities: 0°C buitenlucht, 90% RV en 152.000 kg/h lucht) is op de terminal points van de warmtelevering aan de Ventilex 7,5MWt geleverd kan worden. Indien de vraag minder is dan zal

garantiewaarde gecorrigeerd worden. De Opdrachtnemer is verantwoordelijk voor de onderbouwing van de correcties jegens de onafhankelijk meetinstantie.

Noot 2: De performance test wordt uitgevoerd volgens EN 12952-15, indirecte methode. Het stralingsverlies wordt bepaald volgens de curve voor Bruinkool en fluidized bed boilers. Het gegarandeerde rendement is gebaseerd op 108°C voedingswatertemperatuur. De rendementsgarantie is gebaseerd op een referentiebrandstof met 45 gew% vocht, 12,5% as (droog), onderste verbrandingswaarde van 18,6 MJ/kg (droog en as-vrij) en een referentie buitentemperatuur van 25°C. De uitslag van de performance test zal worden gecorrigeerd voor afwijkingen. De garantiemeting wordt uitgevoerd met brandstof met 40-50gew% vocht.

Noot 3: Elk moet individueel aantoonbaar zijn, dus geen minimum gelijktijdige vereisten van overige warmtelevering / elektriciteitsopwekkingen.

Noot 4: Minimale warmtelevering o.b.v. volgende condities: 0°C buitenlucht, 90% RV en 152.000 kg/h lucht. Een hogere buitenluchttemperatuur en een lagere luchtvochtigheid hebben als gevolg dat de geleverde warmte om circa 140°C lucht te maken minder is. Consequent moet in dit geval de garantiewaarde gecorrigeerd worden.

Noot 5: Maximale emissies naar de schoorsteen van de BEC, wanneer de BEC bedreven wordt tussen 60%-100% MCR, op een brandstof die voldoet aan de specificaties. Alle emissie concentraties zijn genoemd op de referentiecondities van de NTP: droog en 6% zuurstof bij biomassa- en afvalmeeverbrandings-emissie-eisen en 11% zuurstof bij b-hout, volgens de Nederlandse wetgeving (Activiteitenbesluit). Bij bedrijf op biomassa (hout chips + scrip) is geen ondersteuning met aardgas nodig om de gestelde emissies te halen.

Noot 6: Voor het verstoken van papierslib in combinatie met hout (zijnde geen B-hout) zijn de afvalmeeverbrandingsinstallatie-emissie-eisen fingerend (§ 5.1.2 Afvalverbrandings- of afvalmeeverbrandingsinstallatie uit Activiteitenbesluit milieubeheer Geldend van 01-06-2017 t/m heden). Voor CxHy en CO emissies wordt gerefereerd aan de vigerende milieuvergunning. Omdat de status hiervan onbekend is wordt in dit contract de eisen uit garantie 8 (Maximale emissies bij b-hout vergunning) aangehouden voor CxHy en CO (eisen gecorrigeerd naar 6% zuurstof op basis van droge rookgassen). Voor Kwik gelden brandstofeisen op welke de Opdrachtnemer geen invloed uit kan oefen (dus niet van toepassing op de Opdrachtnemer). Voor B-hout verbranding zijn afvalverbrandings-emissie-eisen vigerend (§ 5.1.2 Afvalverbrandings- of afvalmeeverbrandingsinstallatie uit Activiteitenbesluit milieubeheer Geldend van 01-06-2017 t/m heden).

Noot 7: uitgesloten van eigenverbruik: Stadsverwarmingspompen, Allgaier inlaatfan, WOS gerelateerde verbruikers, compressor, gebouw gerelateerde verbruikers (verlichting, ventilatie, etc.), Allgaier en Ventilex drogers.

