

2024
Van der Kroon V.O.F.
Van Westreenen
Brouwersbosweg 3
3849NG
Hierden

verschilberekening referentie - Beoogde situatie incl realisatiefase

Vergund
RNBxiYrSfY5T
REFERENCE

FORMAL_ASSESSMENT
PROCESS_CONTRIBUTION
NH3
NOX
NO2
DEPOSITION
with_max_distance
true

sub_receptors_mode
ENABLED_RECEPTORS_ONLY

sub_receptor_zoom_level
1

PROPOSED
Beoogd
RNBxiYs1GTov

2024.0.1_20241009_75e59949f9
2024_75e59949f9_calculator_nl_stable

NL.IMAER
ES.1

Stal D
11.85
0.63
3.36
VERTICAL
ACTUAL_FLOW

4.8

174140.4427279941 484289.50692633353

0.0

0.0

0.0

502

NL. IMAER
ES.171

1a: Externe vervoersbewegingen linksaf (50%)

0.0

2.5

2.5

174152.82 484247.89 174149.7 484239.91 174194.69 484218.87 174291.1 484188.68 174333.61 484190.49 174497.56 484233.34

0.023192954652162485

0.6109524296294974

0.017856474639295652

0.14884957785000477

0.0

DAY

0.0

0

false

1.0

DAY

0.0

0

false

4.3

DAY

0.0

0

false

0.0

DAY

044362590

0

false

STATE
BOTH
NORMAL

NL.IMAER
ES.172

1b: Externe vervoersbewegingen rechtsaf (50%)
0.0

2.5
2.5

174087.29 484351.61 174082.03 484352.0 174082.81 484368.75 174073.27 484390.76 174064.5 484403.61 174035.09 484432.05
174002.67 484471.92 173989.43 484488.86 173961.81 484520.91 173937.27 484543.7

0.015691631934933753

0.41335141637961687

0.012081135495566582

0.10070699590984476

0.0
DAY
0.0
0
false

1.0
DAY
0.0
0
false

4.3
DAY
0.0
0
false

0.0
DAY
0.0
0
false

STATE
B44362590
NORMAL

NL.IMAER
ES.179

II: Manoeuvreren op terrein
0.0

2.5
2.5

174089.72 484350.7 174133.16 484339.79 174157.11 484323.82 174159.64 484312.72 174153.41 484243.77

0.014614698381037529

0.910781384619931

0.023886207204559258

0.21165424015507817

0.0
DAY
1.0
0
false

2.0
DAY
1.0
0
false

8.6
DAY
1.0
0
false

0.0
DAY
1.0
0
false

STATE
BOTH
NORMAL

NL.IMAER
ES.181

44362590
III: Stationair draaien van wegvoertuigen op terrein

0.0

4.0

4.0

TRAFFIC

174115.63 484345.05 174118.74 484255.84 174179.51 484230.91 174214.57 484311.74 174115.63 484345.05

0.1402232

11.7026484

0.0

0.0

NL.IMAER

ES.182

IV: Interne vervoersbewegingen

174115.63 484345.05 174118.74 484255.84 174179.51 484230.91 174214.57 484311.74 174115.63 484345.05

0.8384775

72.86

0.0

0.0

landbouwtrekker 70 kW, bouwjaar 2012

2517

350

laadschoppen op banden 70 kW, bouwjaar 2015

3415

475

205

44362590

0035

NL.IMAER
ES.7

Stal J
11.85
0.63
4.49
VERTICAL
ACTUAL_FLOW

4.6

174191.0 484293.0

196.0

0.0

0.0

0.0

56

NL.IMAER
ES.8

Stal K
11.85
0.63
4.49
VERTICAL
ACTUAL_FLOW

4.6

174193.0 484300.0

196.0

0.0

0.0

0.0

44362590

56

NL.IMAER
ES.9

Stal L
11.85
0.63
5.29
VERTICAL
ACTUAL_FLOW

4.6

174196.0 484307.0

231.0

0.0

0.0

0.0

66

NL.IMAER
ES.10

Stal M
0.0

1.5

174155.0 484311.0

9.3

0.0

0.0

044362590

0035

3

NL.IMAER
ES.11

Woning CV
0.002

5.0
CONTINUOUS

174105.79071822466 484324.98773405683

0.42

3.59

0.0

0.0

NL.IMAER
ES.12

III: koude start beoogd
174115.63 484345.05 174118.74 484255.84 174179.51 484230.91 174214.57 484311.74 174115.63 484345.05

0.2863863

18.59097205

0.16806425

5.2747975

true
0.0
DAY

44362590
2.0

DAY

4.3
DAY

0.0
DAY